

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|------------------------|
| Trade name | PT Flex 97 B |
| Registration number (REACH) | not relevant (mixture) |
| Unique formula identifier (UFI) | MH00-C0TV-Q00Q-1YJR |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------------|--|
| Relevant identified uses | Polyurethane rubber component Industrial use Professional use Consumer uses |
|--------------------------|--|

1.3 Details of the supplier of the safety data sheet

Nedform BV
 Hofdarsweg 20
 6161 DD Geleen
 Netherlands

Telephone: +31 (0) 46 410 62 60
 Telefax: +31 (0) 46 410 62 70
 e-mail: info@nedform.com
 Website: www.nedform.com

e-mail (competent person)

info@nedform.com

1.4 Emergency telephone number

Emergency information service

+31 (0) 46 410 62 60
 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 3.2 | skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |
| 3.4R | respiratory sensitisation | 1 | Resp. Sens. 1 | H334 |
| 3.4S | skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 3.6 | carcinogenicity | 2 | Carc. 2 | H351 |
| 3.8R | specific target organ toxicity - single exposure (respiratory tract irritation) | 3 | STOT SE 3 | H335 |
| 3.9 | specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 1 | Aquatic Chronic 1 | H410 |

For full text of H-phrases: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Danger

- pictograms

GHS07, GHS08,
GHS09



- hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs (respiratory system) through prolonged or repeated exposure (if inhaled).
- H410 Very toxic to aquatic life with long lasting effects.

- precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTRE/doctor if you feel unwell.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P391 Collect spillage.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Tactile warning of danger yes

- hazardous ingredients for labelling

Contains: 2,4'-diphenylmethanediisocyanate; 1,2-Propanediol, polymer with 1,1'-methylenebis [isocyanatobenzene] and methyl-oxirane; 4,4'-methylenediphenyl diisocyanate.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|---|---|---------|---|------------|------------------|
| 1,2-Propanediol, polymer with 1,1'-methylenebis [isocyanatobenzene] and methyloxirane | CAS No 99784-49-3 EC No 807-385-1 | 25 – 50 | Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335 STOT RE 2 / H373 | | |
| Bis(isopropyl)naphthalene | CAS No 38640-62-9 EC No 254-052-6 REACH Reg. No 01-2119565150-48-xxxx | 1 – 25 | Asp. Tox. 1 / H304 Aquatic Chronic 1 / H410 | | |
| 2,4'-diphenylmethanediisocyanate | CAS No 5873-54-1 EC No 227-534-9 Index No 615-005-00-9 REACH Reg. No 01-2119480143-45-xxxx | 1 – 25 | Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Carc. 2 / H351 STOT SE 3 / H335 STOT RE 2 / H373 EUH204 | | C 2 |
| 4,4'-methylenediphenyl diisocyanate | CAS No 101-68-8 EC No 202-966-0 Index No 615-005-00-9 REACH Reg. No 01-2119457014-47-xxxx | 1 – 25 | Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Carc. 2 / H351 STOT SE 3 / H335 STOT RE 2 / H373 EUH204 | | 2 C GHS-HC |

Notes

- 2: The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.
- C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

| Name of substance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|---|----------------------|---|-----------|--------------|--------------------------|
| 1,2-Propanediol, polymer with 1,1'-methylenebis [isocyanatobenzene] and methyloxirane | CAS No 99784-49-3 | - | - | 11 mg/l/4h | inhalation: vapour |
| 2,4'-diphenylmethanediisocyanate | CAS No 5873-54-1 | Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0,1 % STOT SE 3; H335: C ≥ 5 % | - | >1,5 mg/l/4h | inhalation: dust/mist |
| 4,4'-methylenediphenyl diisocyanate | CAS No 101-68-8 | Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0,1 % STOT SE 3; H335: C ≥ 5 % | - | >1,5 mg/l/4h | inhalation: dust/mist |

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Take off contaminated clothing. Wash with plenty of soap and water. Call a POISON CENTER/doctor.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Persons already sensitised to diisocyanates may develop allergic reactions when using this product: asthmatic complaints, breathing difficulties, pulmonary irritation.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Water spray; Dry extinguishing powder; Carbon dioxide (CO₂);
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Nitrogen oxides (NO_x). Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomite, diatomaceous earth, acid binder, universal binder, sawdust).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Generic EU SDS - No country specific limit values mentioned.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | |
|--|---------------|-----------|------------|-----------|--------------------------|------------|---------------------------|----------|-------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Notation | Source |
| EU | diisocyanates | 5873-54-1 | IOELV | | 0,01 | | 0,02 | NCO, H | 2024/869/EU |

Notation

- H absorbed through the skin
 NCO measured total-NCO (isocyanate)
 STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
 TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

| Relevant DNELs of components of the mixture | | | | | | |
|---|------------|-----------|-------------------------|------------------------------------|-------------------------------|----------------------------|
| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| Bis(isopropyl)naphthalene | 38640-62-9 | DNEL | 8,4 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Bis(isopropyl)naphthalene | 38640-62-9 | DNEL | 2,38 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Bis(isopropyl)naphthalene | 38640-62-9 | DNEL | 1,48 mg/m ³ | human, inhalatory | consumer (private households) | chronic - systemic effects |
| Bis(isopropyl)naphthalene | 38640-62-9 | DNEL | 0,85 mg/kg bw/day | human, dermal | consumer (private households) | chronic - systemic effects |
| Bis(isopropyl)naphthalene | 38640-62-9 | DNEL | 0,85 mg/kg bw/day | human, oral | consumer (private households) | chronic - systemic effects |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | DNEL | 0,05 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | DNEL | 0,1 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | DNEL | 0,025 mg/m ³ | human, inhalatory | consumer (private households) | chronic - local effects |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | DNEL | 0,05 mg/m ³ | human, inhalatory | consumer (private households) | acute - local effects |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | DNEL | 0,05 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | DNEL | 0,1 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | DNEL | 0,025 mg/m ³ | human, inhalatory | consumer (private households) | chronic - local effects |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | DNEL | 0,05 mg/m ³ | human, inhalatory | consumer (private households) | acute - local effects |

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| Relevant PNECs of components | | | | | | |
|-------------------------------------|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Bis(isopropyl)naphthalene | 38640-62-9 | PNEC | 0 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Bis(isopropyl)naphthalene | 38640-62-9 | PNEC | 0 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Bis(isopropyl)naphthalene | 38640-62-9 | PNEC | 0,15 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Bis(isopropyl)naphthalene | 38640-62-9 | PNEC | 0,853 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Bis(isopropyl)naphthalene | 38640-62-9 | PNEC | 0,085 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Bis(isopropyl)naphthalene | 38640-62-9 | PNEC | 0,171 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | PNEC | 3,7 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | PNEC | 0,37 µg/l | aquatic organisms | marine water | short-term (single instance) |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | PNEC | 11,7 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | PNEC | 1,17 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | PNEC | 2,33 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | PNEC | 1 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | PNEC | 3,7 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | PNEC | 0,37 µg/l | aquatic organisms | marine water | short-term (single instance) |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | PNEC | 11,7 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | PNEC | 1,17 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | PNEC | 2,33 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation. Provide eyewash stations and safety showers at the workplace.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection



Chemical protective clothing. Protective clothing (EN 340 & EN ISO 13688).

Hand protection



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: $\geq 0,38$ mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140). Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | liquid |
| Colour | amber |
| Odour | slight |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | 293 °C at 101 kPa calculated value, referring to a component of the mixture |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | LEL: UEL: not determined |
| Flash point | no data available |
| Auto-ignition temperature | >425 °C (auto-ignition temperature (liquids and gases)) calculated value, referring to a component of the mixture |
| Decomposition temperature | no data available |
| pH (value) | not determined |
| | not determined |
| Dynamic viscosity | 250 – 450 mPa s at 25 °C |
| Solubility | not determined |

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| | |
|-----------------|--|
| Vapour pressure | 1,422 Pa at 25 °C calculated value, referring to a component of the mixture |
|-----------------|--|

Density and/or relative density

| | |
|-------------------------|---|
| Density | 1,02 – 1,07 g/cm ³ at 25 °C |
| Relative vapour density | information on this property is not available |

| | |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|

9.2 Other information

| | |
|--|---|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics | there is no additional information |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| Acute toxicity estimate (ATE) of components | | | |
|---|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| 1,2-Propanediol, polymer with 1,1'-methylenebis [isocyanatobenzene] and methyloxirane | 99784-49-3 | inhalation: vapour | 11 mg/l/4h |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | inhalation: dust/mist | >1,5 mg/l/4h |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | inhalation: dust/mist | >1,5 mg/l/4h |

| Acute toxicity of components | | | | | |
|-------------------------------------|------------|-----------------------|----------|---------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Bis(isopropyl)naphthalene | 38640-62-9 | oral | LD50 | 4.130 mg/kg | rat |
| Bis(isopropyl)naphthalene | 38640-62-9 | inhalation: dust/mist | LC50 | >5,64 mg/l/4h | rat |
| Bis(isopropyl)naphthalene | 38640-62-9 | dermal | LD50 | >4.500 mg/kg | rat |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | oral | LD50 | >2.000 mg/kg | rat |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | dermal | LD50 | >9.400 mg/kg | rabbit |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

May cause damage to organs (respiratory system) through prolonged or repeated exposure (if inhaled).

| Hazard category | Target organ | Exposure route |
|-----------------|--------------------|----------------|
| 2 | respiratory system | if inhaled |

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

Other information

There is no additional information.

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|---|------------|-------------------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Bis(isopropyl)naphthalene | 38640-62-9 | EL50 | 1,7 mg/l | aquatic invertebrates | 48 h |
| Bis(isopropyl)naphthalene | 38640-62-9 | NOELR | <1 mg/l | aquatic invertebrates | 48 h |
| Bis(isopropyl)naphthalene | 38640-62-9 | NOEC | 0,15 mg/l | algae | 72 h |
| Bis(isopropyl)naphthalene | 38640-62-9 | growth (EbCx) 10% | 0,16 mg/l | aquatic invertebrates | 48 h |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | EL50 | 3,7 mg/l | aquatic invertebrates | 48 h |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | LC50 | >1.000 mg/l | fish | 96 h |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | EC50 | 129,7 mg/l | aquatic invertebrates | 24 h |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | LL50 | >100 mg/l | fish | 96 h |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | EL50 | 9 mg/l | aquatic invertebrates | 48 h |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | NOELR | ≥100 mg/l | algae | 72 h |

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|-----------|-------------------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | NOEC | ≥10 mg/l | aquatic invertebrates | 21 d |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | ErC50 | >1.640 mg/l | algae | 3 d |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | EC50 | >1.000 mg/l | microorganisms | 180 min |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | NOELR | 1.640 mg/l | algae | 3 d |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | NOEC | ≥10 mg/l | aquatic invertebrates | 21 d |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | growth (EbCx) 10% | 260 mg/l | microorganisms | 180 min |

12.2 Persistence and degradability

| Degradability of components | | | | | |
|-------------------------------------|------------|---------------------------|------------------|------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method |
| Bis(isopropyl)naphthalene | 38640-62-9 | carbon dioxide generation | ≤0,1 % | 56 d | |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | oxygen depletion | 0 % | 28 d | |

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

12.3 Bioaccumulative potential

| Bioaccumulative potential of components | | | | |
|---|------------|-------|----------------------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Bis(isopropyl)naphthalene | 38640-62-9 | 1.800 | 6,081 | |
| 2,4'-diphenylmethanediisocyanate | 5873-54-1 | | 4,52 (pH value: ~7, 22 °C) | |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | 92 | 4,51 (pH value: ~7, 22 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-------------|---------|
| ADR/RID/ADN | UN 3082 |
| IMDG-Code | UN 3082 |
| ICAO-TI | UN 3082 |

14.2 UN proper shipping name

| | |
|--|---|
| ADR/RID/ADN | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| ICAO-TI | Environmentally hazardous substance, liquid, n.o.s. |
| Technical name (Hazardous ingredients) | Bis(isopropyl)naphthalene |

14.3 Transport hazard class(es)

| | |
|-------------|---|
| ADR/RID/ADN | 9 |
| IMDG-Code | 9 |
| ICAO-TI | 9 |

14.4 Packing group

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B


Version number: 1.0

Date of compilation: 24.09.2024


| | |
|---|--------------------------------------|
| ADR/RID/ADN | III |
| IMDG-Code | III |
| ICAO-TI | III |
| 14.5 Environmental hazards | hazardous to the aquatic environment |
| Environmentally hazardous substance (aquatic environment) | Bis(isopropyl)naphthalene |
| 14.6 Special precautions for user | |
| There is no additional information. | |
| 14.7 Maritime transport in bulk according to IMO instruments | |
| No data available. | |

Additional information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

| | |
|--|--|
| Classification code | M6 |
| Danger label(s) | 9, fish and tree |
|  | |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274, 335, 375, 601 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | - |
| Hazard identification No | 90 |

International Maritime Dangerous Goods Code (IMDG) - additional information

| | |
|---|--|
| Marine pollutant | yes (hazardous to the aquatic environment) (Bis(isopropyl)naphthalene) |
| Danger label(s) | 9, fish and tree |
|  | |
| Special provisions (SP) | 274, 335, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-A, S-F |
| Stowage category | A |

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

| | |
|-----------------------|--|
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Danger label(s) | 9, fish and tree |



PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| | |
|--------------------------|-----------------------|
| Special provisions (SP) | A97, A158, A197, A215 |
| Exempted quantities (EQ) | E1 |
| Limited quantities (LQ) | 30 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is purely informative and does comply with EU regulations, but not with country-specific regulations.

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Name | Name acc. to inventory | Restriction | No |
|-------------------------------------|--|-------------|-----|
| PT Flex 97 B | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | R3 | 3 |
| 4,4'-methylenediphenyl diisocyanate | 4,4'-methylenediphenyl diisocyanate | R56 | 56a |
| 4,4'-methylenediphenyl diisocyanate | substances in tattoo inks and permanent make-up | R75 | 75 |
| 2,4'-diphenylmethanediisocyanate | 2,4'-methylenediphenyl diisocyanate | R56 | 56b |
| 2,4'-diphenylmethanediisocyanate | diisocyanates | R74 | 74 |
| 2,4'-diphenylmethanediisocyanate | substances in tattoo inks and permanent make-up | R75 | 75 |

Legend

- R3**
- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 - Articles not complying with paragraph 1 shall not be placed on the market.
 - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 - Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 - lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R56**
- Shall not be placed on the market after 27 December 2010, as a constituent of mixtures in concentrations equal to or greater than 0,1 % by weight of MDI for supply to the general public, unless suppliers shall ensure before the placing on the market that the packaging:
 - contains protective gloves which comply with the requirements of Council Directive 89/686/EEC (9);
 - is marked visibly, legibly and indelibly as follows, and without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures:
 - Persons already sensitised to diisocyanates may develop allergic reactions when using this product.
 - Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
 - This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.'
 - By way of derogation, paragraph 1(a) shall not apply to hot melt adhesives.
- R74**
- Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless:
 - the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or
 - the employer or self-employed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture(s).
 - Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless:
 - the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or
 - the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the la-

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

Legend

bel information: "As from 24 August 2023 adequate training is required before industrial or professional use".

3. For the purpose of this entry "industrial and professional user(s)" means any worker or self-employed worker handling diisocyanates on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) or supervising these tasks.

4. The training referred to in point (b) of paragraph 1 shall include the instructions for the control of dermal and inhalation exposure to diisocyanates at the workplace without prejudice to any national occupational exposure limit value or other appropriate risk management measures at national level. Such training shall be conducted by an expert on occupational safety and health with competence acquired by relevant vocational training. That training shall cover as a minimum:

(a) the training elements in point (a) of paragraph 5 for all industrial and professional use(s).

(b) the training elements in points (a) and (b) of paragraph 5 for the following uses:

- handling open mixtures at ambient temperature (including foam tunnels);
- spraying in a ventilated booth;
- application by roller;
- application by brush;
- application by dipping and pouring;
- mechanical post treatment (e.g. cutting) of not fully cured articles which are not warm anymore;
- cleaning and waste;
- any other uses with similar exposure through the dermal and/or inhalation route;

(c) the training elements in points (a), (b) and (c) of paragraph 5 for the following uses:

- handling incompletely cured articles (e.g. freshly cured, still warm);
- foundry applications;
- maintenance and repair that needs access to equipment;
- open handling of warm or hot formulations (> 45 °C);
- spraying in open air, with limited or only natural ventilation (includes large industry working halls) and spraying with high energy (e.g. foams, elastomers);
- and any other uses with similar exposure through the dermal and/or inhalation route.

5. Training elements:

(a) general training, including on-line training, on:

- chemistry of diisocyanates;
- toxicity hazards (including acute toxicity);
- exposure to diisocyanates;
- occupational exposure limit values;
- how sensitisation can develop;
- odour as indication of hazard;
- importance of volatility for risk;
- viscosity, temperature, and molecular weight of diisocyanates;
- personal hygiene;
- personal protective equipment needed, including practical instructions for its correct use and its limitations;
- risk of dermal contact and inhalation exposure;
- risk in relation to application process used;
- skin and inhalation protection scheme;
- ventilation;
- cleaning, leakages, maintenance;
- discarding empty packaging;
- protection of bystanders;
- identification of critical handling stages;
- specific national code systems (if applicable);
- behaviour-based safety;
- certification or documented proof that training has been successfully completed

(b) intermediate level training, including on-line training, on:

- additional behaviour-based aspects;
- maintenance;
- management of change;
- evaluation of existing safety instructions;
- risk in relation to application process used;
- certification or documented proof that training has been successfully completed

(c) advanced training, including on-line training, on:

- any additional certification needed for the specific uses covered;
- spraying outside a spraying booth;
- open handling of hot or warm formulations (> 45 °C);
- certification or documented proof that training has been successfully completed

6. The training shall comply with the provisions set by the Member State in which the industrial or professional user(s) operate. Member States may implement or continue to apply their own national requirements for the use of the substance(s) or mixture(s), as long as the minimum requirements set out in paragraphs 4 and 5 are met.

7. The supplier referred to in point (b) of paragraph 2 shall ensure that the recipient is provided with training material and courses pursuant to paragraphs 4 and 5 in the official language(s) of the Member State(s) where the substance(s) or mixture(s) are supplied. The training shall take into consideration the specificity of the products supplied, including composition, packaging, and design.

8. The employer or self-employed shall document the successful completion of the training referred to in paragraphs 4 and 5. The training shall be renewed at least every five years.

9. Member States shall include in their reports pursuant to Article 117(1) the following information:

- (a) any established training requirements and other risk management measures related to the industrial and professional uses of diisocyanates foreseen in national law;
- (b) the number of cases of reported and recognised occupational asthma and occupational respiratory and dermal diseases in relation to diisocyanates;
- (c) national exposure limits for diisocyanates, if there are any;
- (d) information about enforcement activities related to this restriction.

10. This restriction shall apply without prejudice to other Union legislation on the protection of safety and health of workers at the workplace.

R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

Legend

used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|--|---|-----|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| E1 | environmental hazards (hazardous to the aquatic environment, cat. 1) | 100 | 200 | 56) |

Notation

56) hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|-------------------------------------|---|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| 4,4'-methylenediphenyl diisocyanate | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |
| 2,4'-diphenylmethanediisocyanate | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |

Legend

a) Indicative list of the main pollutants

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| 2024/869/EU | Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work |
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | Aspiration hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EL50 | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
 GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| LL50 | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| NOELR | No Observed Effect Loading Rate |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| Resp. Sens. | Respiratory sensitisation |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| STOT SE | Specific target organ toxicity - single exposure |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)
GENERIC EU SDS - NO COUNTRY SPECIFIC DATA

PT Flex 97 B

Version number: 1.0

Date of compilation: 24.09.2024

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs (respiratory system) through prolonged or repeated exposure (if inhaled). |
| H410 | Very toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.